

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(symbolic adj reference) with (operation and parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/05 18:45
L2	14064	(symbolic or reference) with (operation and parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/05 18:47
L3	185	(symbolic or reference) with identif\$4 with (operation and parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/05 18:46
L4	3	(symbol\$2 near reference) with identif\$4 with (operation and parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/05 18:46
L5	2	(symbolic or reference) with (operation and parameter) same configur\$3 near device	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/05 18:47
L6	0	(symbolic or reference) with (operation and parameter) same configur\$3 near (network\$3 adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/05 18:47
L7	11	(symbolic or reference) with (operation and parameter) and configur\$3 near (network\$3 adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/05 18:49
L8	4	"709"/.ccls. and (symbolic or reference) with (operation and parameter) and configur\$3 near (network\$3 adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/05 18:50
L9	0	(HARVEY or PEREIEA or KAO or MOHAMMAD) and (symbolic or reference) with (operation and parameter) and configur\$3 near (network\$3 adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/05 18:51
L10	4	(HARVEY or PEREIEA or KAO or MOHAMMAD) and (symbolic or reference) and (operation and parameter) and configur\$3 near (network\$3 adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/05 18:52
L11	4	(HARVEY or PEREIEA or KAO or MOHAMMAD) and (symbolic or reference) and (operation and parameter) and (configur\$3 or provision\$3) near (network\$3 adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/05 18:53

L12	0	(HARVEY or PEREIEA or KAO or MOHAMMAD) and (symbolic adj reference) and (operation and parameter) and (configur\$3 or provision\$3) near (network\$3 adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/05 18:53
L13	4	(HARVEY or PEREIEA or KAO or MOHAMMAD) and (symbol\$2 or reference) and (operation and parameter) and (configur\$3 or provision\$3) near (network\$3 adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/05 18:53
L14	9	(symbol\$2 near reference) and (operation and parameter) and (configur\$3 or provision\$3) near (network\$3 adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/05 18:55
L15	0	(symbol\$2 near reference) with (identif\$4 or relat\$3) with (operation and parameter) and (configur\$3 or provision\$3) near (network\$3 adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/05 18:55
L16	0	(symbol\$2 near reference) with (identif\$4 or relat\$3) with (operation and parameter) and (configur\$3 or provision\$3) with (network\$3 adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/05 18:55
L17	0	(symbol\$2 near reference) same (identif\$4 or relat\$3) same (operation and parameter) and (configur\$3 or provision\$3) with (network\$3 adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/05 18:56
L18	0	(symbol\$2 near reference) same (identif\$4 or relat\$3) same (operation and parameter) and (configur\$3 or provision\$3) same (network\$3 adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/05 18:56
L19	65	(symbol\$2 or reference) same (identif\$4 or relat\$3) same (operation and parameter) and (configur\$3 or provision\$3) same (network\$3 adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/05 18:56
L20	41	(symbol\$2 or reference) same (identif\$4 or relat\$3) same (operation and parameter) and (configur\$3 or provision\$3) with (network\$3 adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/05 18:56
L21	12	(symbol\$2 or reference) same (identif\$4 or relat\$3) with (operation and parameter) and (configur\$3 or provision\$3) with (network\$3 adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/05 18:57

L22	1	(symbol\$2 or referenc\$3) with (identif\$4 or relat\$3) with (operation and parameter) and (configur\$3 or provision\$3) with (network\$3 adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/05 18:58
S1	0	@ad<"20000929" and (configuration adj information) same XML same DTD same tag same delimit\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/23 11:15
S2	0	@ad<"20000929" and (configuration adj information) and XML same DTD same tag same delimit\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/21 17:14
S3	32	@ad<"20000929" and (configuration adj information) and XML and DTD and tag and delimit\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/21 17:14
S4	31	@ad<"20000929" and (configuration adj information) and XML and DTD and tag and delimit\$3 and begin\$ and end\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/21 17:15
S5	0	@ad<"20000929" and (configuration adj information) and XML and DTD and tag and delimit\$3 same begin\$ same end\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/21 17:15
S6	31	@ad<"20000929" and (configuration adj information) and XML and DTD and tag and delimit\$3 and begin\$ same end\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/21 17:16
S7	0	@ad<"20000929" and (configuration adj information) and XML same DTD and delimit\$3 and (begin\$ same end\$3 same tag)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/21 17:17
S8	0	@ad<"20000929" and (configuration adj information) and XML and DTD and delimit\$3 and (begin\$ same end\$3 same tag)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/21 17:17
S9	30	@ad<"20000929" and (configuration adj information) and (XML same DTD) and delimit\$3 and (begin\$ same end\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/21 17:17
S10	0	@ad<"20000929" and (configuration adj information) and (XML same DTD) and delimit\$3 same (begin\$ same end\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/21 17:17
S11	0	@ad<"20000929" and (configuration adj information) and (XML same DTD) same delimit\$3 and (begin\$ same end\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/21 17:18
S12	0	@ad<"20000929" and (configuration adj information) same (XML same DTD) and delimit\$3 and (begin\$ same end\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/21 17:18

S13	0	@ad<"20000929" and (configuration adj information) and (conform\$3 same XML same DTD) and delimit\$3 and (begin\$ same end\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/21 17:18
S14	30	@ad<"20000929" and (configuration adj information) and (XML same DTD) and delimit\$3 and (begin\$ same end\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/21 17:19
S15	0	@ad<"20000929" and (configuration adj information) and (XML near tag) same delimit\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/21 17:19
S16	11	@ad<"20000929" and (XML near tag) same delimit\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/21 17:19
S17	2	@ad<"20000929" and (XML near tag) same delimit\$3 same (begin\$ and end\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/21 17:25
S18	1	@ad<"20000929" and (XML near tag) same delimit\$3 same (begin\$ and end\$3) and DTD	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/21 17:27
S19	1	@ad<"20000929" and (XML near tag) same delimit\$3 same (begin\$ and end\$3) and DTD and pars\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/21 17:29
S20	0	@ad<"20000929" and (XML near tag) same delimit\$3 same DTD and pars\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/21 17:29
S21	6	@ad<"20000929" and (XML near tag) same delimit\$3 and DTD and pars\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/21 18:01
S22	0	@ad<"20000929" and (XML near tag) same delimit\$3 same DTD	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/21 18:02
S23	1	@ad<"20000929" and (XML same tag) same delimit\$3 same DTD	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/21 18:04
S24	0	@ad<"20000929" and (XML same tag) same DTD and delimit\$ same (begin\$ or start\$3) near end\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/21 18:05
S25	0	@ad<"20000929" and (XML same tag) same DTD and delimit\$ and (begin\$ or start\$3) near end\$3 near tag	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/21 18:05
S26	2	@ad<"20000929" and (XML) same DTD and delimit\$ and (begin\$ or start\$3) near end\$3 near tag	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/21 18:06
S27	2	@ad<"20000929" and (XML) same DTD and delimit\$ and (begin\$ or start\$3) near end\$3 near tag and HTML	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/21 18:06

S28	0	@ad<"20000929" and topology adj (network or information) same request and configuration adj agent	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/23 11:16
S29	4	@ad<"20000929" and topology adj (network or information) same request same template	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/23 11:20
S30	0	@ad<"20000929" and topology adj (network or information) same template and (computer or program) adj application	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/23 11:20
S31	2	@ad<"20000929" and topology adj (network or information) same template and (computer or program) near application	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/23 11:23
S32	1	@ad<"20000929" and topology adj (network or information) same template and configur\$5 near application	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/23 11:26
S33	33	@ad<"20000929" and topology adj (network or information) and configur\$5 near application	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/23 11:27
S34	0	@ad<"20000929" and topology adj (network or information) and configur\$5 near application same template	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/23 11:27
S35	1	@ad<"20000929" and topology adj (network or information) and configur\$5 near application same (template or model)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/23 11:28
S36	3	@ad<"20000929" and topology adj (network or information) same (template or model) and configur\$5 near application	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/23 11:28
S37	19	@ad<"20000929" and topology adj (network or information) and configur\$5 near application and (template or model)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/23 11:31
S38	0	@ad<"20000929" and topology adj (network or information) and configur\$5 near application same agent and (template or model)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/23 11:31
S39	7	@ad<"20000929" and topology adj (network or information) and configur\$5 near application and agent and (template or model)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/23 11:32
S40	3	@ad<"20000929" and topology adj (network or information) and configur\$5 near application and agent and (template)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/23 11:33

S41	0	@ad<"20000929" and topology with request and configur\$5 with agent with application and (template)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/23 11:34
S42	6	@ad<"20000929" and topology same request and configur\$5 same agent same application and (template)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/23 11:34
S43	1	@ad<"20000929" and topology same request and configur\$5 same agent same application and (retriev\$3 same template)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/23 11:47
S44	2	@ad<"20000929" and topology same request same configur\$5 same agent same application	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/23 11:51
S45	11	@ad<"20000929" and topology same configur\$5 same agent same application	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/06/23 11:58
S46	14	@ad<"20000929" and (request\$3 with topology) and agent same configur\$5 same application	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/12/04 17:20
S55	0	@ad<"20000929" and configur\$5 near (network adj device) and (template near (compris\$3 or includ\$3) near parameter)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/12/02 20:50
S56	0	@ad<"20000929" and configur\$5 with (network adj device) and (template near (compris\$3 or includ\$3) near parameter)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/12/02 20:50
S57	8	@ad<"20000929" and configur\$5 with (network adj device) and (template with (compris\$3 or includ\$3) with parameter)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/12/02 21:08
S58	1	@ad<"20000929" and configur\$5 with (network adj device) and (template near parameter)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/12/02 21:10
S59	493	@ad<"20000929" and configur\$5 with (network adj device) and (template withr parameter)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/12/02 21:10
S60	30	@ad<"20000929" and configur\$5 with (network adj device) and (template with parameter)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/12/02 21:10
S61	8	@ad<"20000929" and configur\$5 near (network adj device) and (template with parameter)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/12/02 21:10
S63	7	@ad<"20000929" and (request\$3 with topology) same configur\$5 same application	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/12/04 17:22
S64	16	@ad<"20000929" and (request\$3 with (network adj topology)) and configur\$5 same application	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/23 17:47

S67	0	@ad<"20000929" and syntax near (check\$3 or pars\$3) near (configuration adj command)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/23 17:48
S68	0	@ad<"20000929" and syntax near (check\$3 or pars\$3) with (configuration adj command)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/23 17:51
S69	106	@ad<"20000929" and syntax near (check\$3 or pars\$3) with (configuration or command)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/23 17:48
S70	43	@ad<"20000929" and syntax near (check\$3 or pars\$3) near (configuration or command)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/23 18:47
S71	0	@ad<"20000929" and syntax near (check\$3 or pars\$3) near (configuration with command)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/23 17:48
S72	2	@ad<"20000929" and syntax near (check\$3 or pars\$3) with (configuration with command)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/23 17:48
S73	0	@ad<"20000929" and syntax near (check\$3 or pars\$3) near (command) with configuration	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/23 17:49
S74	1	@ad<"20000929" and syntax near (check\$3 or pars\$3) near (command) same configuration	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/23 17:49
S75	0	@ad<"20000929" and syntax near (check\$3 or pars\$3) near (configuration and command)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/23 17:50
S76	0	@ad<"20000929" and syntax near (check\$3 or pars\$3) near (configuration same command)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/23 17:50
S77	1	@ad<"20000929" and syntax near (check\$3 or pars\$3) same (configuration adj command)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/23 17:51
S78	1	@ad<"20000929" and syntax near (check\$3 or pars\$3) same (configuration near command)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/23 17:51
S79	1	@ad<"20000929" and syntax near (check\$3 or pars\$3) near (configuration adj (file or command or code))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/23 17:54
S80	1	@ad<"20000929" and syntax near (check\$3 or pars\$3) near (configuration near (file or command or code))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/23 17:54
S81	2	@ad<"20000929" and syntax near (check\$3 or pars\$3) with (configuration near (file or command or code))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/23 17:56

S82	6	@ad<"20000929" and syntax near (check\$3 or pars\$3) with (configuration with (file or command or code))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/23 17:55
S83	3	@ad<"20000929" and syntax near (check\$3 or pars\$3) with (configuration with (command or code))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/23 17:56
S84	4	@ad<"20000929" and syntax with (check\$3 or pars\$3) with (configuration with (command or code))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/23 17:58
S85	5	@ad<"20000929" and syntax with (check\$3 or pars\$3 or review\$3 or test\$3) with (configuration with (command or code))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/23 17:58
S86	1	@ad<"20000929" and syntax near (check\$3 or pars\$3) near (configuration or command) and XML	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/23 18:47
S87	1	@ad<"20000929" and syntax with (check\$3 or pars\$3) near (configuration or command) and XML	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/23 18:47
S88	3	@ad<"20000929" and syntax with (check\$3 or pars\$3) with (configuration or command) and XML	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/23 18:47